

EN 13697

Bacteria

A quantitative suspension test designed to evaluate bactericidal activity of disinfectants used in food, industrial, domestic and institutional areas.

Pass: ≥ 4 log reduction in 5 minutes at 20°C under dirty conditions.

Pathogen	Pass	Log. reduction	Test time
<i>Campylobacter jejuni</i>	✓	> 5.80*	2 min.
<i>Enterococcus hirae</i>	✓	> 5.93*	2 min.
<i>Escherichia coli</i>	✓	> 6.32*	2 min.
<i>Legionella pneumophila</i>	✓	4.08	5 min.
<i>Listeria monocytogenes</i>	✓	> 5.87*	2 min.
<i>Pseudomonas aeruginosa</i>	✓	> 5.97*	5 min.
<i>Pseudomonas aeruginosa</i>	✓	4.50	3 min.
<i>Salmonella enteritidis</i>	✓	> 5.97*	2 min.
<i>Staphylococcus aureus</i>	✓	4.65	2 min.
Vancomycin-resistant <i>Enterococcus faecalis</i> (VRE)	✓	> 5.91*	2 min.

EN 1276

Bacteria

A quantitative suspension test designed to evaluate bactericidal activity.

Pass: ≥ 5 log reduction in 5 minutes at 20°C under dirty conditions.

Pathogen	Pass	Log. reduction	Test time
<i>Enterococcus hirae</i>	✓	> 5.54*	5 min.
<i>Escherichia coli</i>	✓	> 6.41*	30 sec.
<i>Pseudomonas aeruginosa</i>	✓	> 5.52*	5 min.
<i>Salmonella choleraesuis</i>	✓	> 6.37*	5 min.
<i>Staphylococcus aureus</i>	✓	5.08	30 sec.

EN 14476

Viruses

A quantitative suspension test designed to evaluate virucidal activity.

Pass: ≥ 4 log reduction in 5 minutes at 20°C under clean conditions.

Pathogen	Pass	Log. reduction	Test time
Bovine Coronavirus	✓	4.08	1 min.

EN 13697

Fungi

A quantitative suspension test designed to evaluate fungicidal activity of disinfectants used in food, industrial, domestic and institutional areas.

Pass: ≥ 3 log reduction in 15 minutes at 20°C under dirty conditions.

Pathogen	Pass	Log. reduction	Test time
<i>Aspergillus niger</i>	✓	3.31	15 min.
<i>Candida albicans</i>	✓	> 5.00*	5 min.

* Minimum log. reduction - limited by culture

Manufactured by



Bio Technics Ltd.

Linton Business Park, Gourdon, Aberdeenshire, Scotland, UK DD10 0NH

Tel: +44 (0) 1561 361515 info@bio-technics.com bio-technics.com

